



**RETAIL
DISPENSER**
THE SMART
STORAGE
SYSTEM FOR
TOBACCONISTS



THE RETAIL DISPENSER RANGE

THE SMART CIGARETTE STORE

An automated cigarette dispensing solution, offering security, control, high capacity, speed, time saving and management, and a modern, up-to-date image of the shop.

Security and control

- The cigarettes are protected in a vandal-proof metal cabinet with a security lock (making theft difficult).
- Control of stock and each cigarette sale.
- Solution for new packaging (to avoid confusion).

Modern image and versatility

The tobacconist shop will present a modern, tidy image, accompanied by product display and advertising screens.

- Designed for installation in existing stores and shops
- Each dispenser can be simultaneously controlled from various stations or points of sale.
- Large product retrieval area with LED lighting, designed to retrieve one or more packets.
- Doors incorporating shelving for a LED back-lit product display.
- The dispenser door can incorporate a 40" advertising screen.

High capacity and speed of service

- Large capacity and space optimisation
- Flexible interior configuration (different capacity and size channels) and for different packaging types.
- Fast and easy to use. 60 packets per minute.
- Multi-sale: Dispensing more than one packet per sale.



FLEXIBLE CHANNEL CONFIGURATION (FORMATS & CAPACITIES)



HIGH CAPACITY



LED LIGHTING



DIFFERENT DISPENSING CONTROL OPTIONS (TABLET, POS INTEGRATION)



SUPER KING CHANNELS



TELEMETRY CONNECTION WITH GMBOS



40" DOOR-INTEGRATED ADVERTISING SCREEN

The GMBOS telemetry system makes it possible to remotely manage each machine:

- Machine configuration:
 - Connection of pushbuttons with channels.
 - Up-dating of screens and products.
 - Price changes.
 - Screen advertisement management.
- Control of cigarette inventory and sales per product: for the optimized management of cigarette purchases.
- Alerts: the software allows a number of alerts to be configured, relating to the stock and the technical activity of the machine.



Different dispensing control options



Managed
from a tablet




Integrated with the
ERP of the counter
POS.

The machine can be integrated with the shop management system, so that the selection will be made from the POS itself, deducting the sales from the cigarette inventory.



TECHNICAL SPECIFICATIONS

Model	Capacity of channels	Selections	Channels	Dimensions height x width x depth	Weight	Doors	Colour
RDH 600	744 packets	Configurable	32	1550 x 600 x 420 mm w/o base 2150 x 600 x 420 mm with base	145 kg	1 door with integrated 40" advertising screen	Light Grey
RDH 1200	1516 packets	Configurable	80	1550 x 1190 x 420 mm w/o base 2150 x 1190 x 420 mm with base	250 kg	2 doors with product display	Light Grey



RDH 600. 32 CHANNELS 1. Cabinet: 24 channels / **2.** 16 channels x 12 packets / **3.** 8 channels x 19 packets / **4. Door:** 8 channels x 50 packets.

RDH 1200. 80 CHANNELS 5. Cabinet: 48 channels / **6.** 3 channels x 56 packets / **7.** 15 channels x 19 packets / **8.** 30 channels x 12 packets /

9. Doors: 32 channels (16 channels per door) / **10.** 8 channels x 27 packets / **11.** 8 channels x 16 packets.

Standard equipment:

- Digi module for POS integration
- 3G modem for GMBOS connection
- Raspberry pi for RDH 600 with screen
- Security lock

Optional equipment:

- Base with set of drawers
- Channels for special or latest generation products

GM Global Solutions

Polígono Vizcaya Calle A, 6
31119 Torres de Elorz - Navarra - Spain

+34 948 317 311

comercial@gmglobalsolutions.com

www.gmglobalsolutions.com

GMGS0018